Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (Canceled)
- 2. (Canceled)
- 3. (Canceled)
- 4. (Canceled)
- 5. (Canceled)
- 6. (Canceled)

7. (Previously Presented) A computer case, comprising: an access panel door, the access panel door comprising

a support body which extends so as to cover an opening in a computer chassis, has a perimeter, and has four sides; and

flanges spaced inward from the perimeter and extending from a major surface of the support body; and

a chassis with an opening on one side for mounting the access panel door, the chassis having a handle with a stationary part and a movable part in which the access panel door is opened when the stationary part and the movable part of the handle are squeezed together, the chassis having EMI clips surrounding the opening, the EMI clips retentively receiving the flanges of the access panel door,

wherein each flange substantially extends along length of its corresponding side and each of the sides of the support body has only one flange,


wherein one side of the access panel door has latches for engaging an engaging member of a locking mechanism in the computer chassis, the latches being located outside the area bound by the flanges,

wherein hinging elements are formed on the access door on the side of the access panel door opposite to the side which has the latches and wherein the latches are spread out to give a wider holding area so that the computer case may be lifted by a vacuum lift attachable to the access panel door,

wherein a tab projects at the perimeter of the side of the access panel door that has latches, the tab having at least one perforation to provide for further securing the access panel door to the computer chassis.

- 8. (Previously Presented) The computer case of Claim 7, wherein the computer chassis further comprises slots for accepting the hinging elements of the access panel door.
- 9. (Previously Presented) The computer case of Claim 8, further comprising a rim formed inward around the opening of the chassis of the computer case.

- 10. (Previously Presented) The computer case of Claim 9, wherein the EMI clips are retentively held by the rim along the edges of the opening.
- 11. (Previously Presented) The computer case of Claim 10, wherein the EMI clips are generally U-shaped.
- 12. (Previously Presented) The computer case of Claim 11, wherein there are four EMI clips per chassis.
- 13. (Previously Presented) The computer case of Claim 11, wherein there are eight EMI clips per chassis.
- 14. (Previously Presented) The computer case of Claim 11, wherein a backup thumb screw is used to further attach the access panel door to the computer case.
- 15. (Canceled)
- 16. (Canceled)
- 17. (Canceled)
- 18. (Canceled)
- 19. (Canceled)
- 20. (Canceled)
- 21. (Canceled)
- 22. (Canceled)



Reply	to Office Action of March 11, 2004
32.	(Canceled)
33.	(Canceled)
34.	(Canceled)
35.	(Canceled)
36.	(Canceled)
37.	(Previously Presented) The computer case of Claim 7, wherein the EMI clips by substantially all of a perimeter around the opening.
1	,
38.	(Previously Presented) The computer case of Claim 7, wherein at least one of the
EMI (clips is proximate to the engaging member and the engaging member is proximate to
the ha	andle.
39.	(Previously Presented) The computer case of Claim 38, wherein the engaging
meml	per has two notches to retain the latches.
40.	(Canceled)
41.	(Canceled)
42.	(Canceled)
43.	(Canceled)
44.	(Currently Amended) An information handling system case, comprising:
	a chassis suitable for containing an electronic component;
	an access door removably mounted to the chassis, the access door suitable for
permi	tting access to an electronic component contained in the computer chassis; and

Appl. No. 10/040,340

a release mechanism adjacent to the access door, wherein the release mechanism is manually operable by a single hand of a user to release the access door from the chassis, the access door separating from the chassis upon manipulation of the release mechanism by the user, the chassis including a U-shaped clip, the access door including a flange made of a conductive material, wherein the conductive flange engages the U-shaped clip when the access door is installed on the chassis, the access door has hinging pins that fit within slots on the chassis so as to provide the access door rotational movement about an axis defined by the mating of the hinging pins and the slots, the chassis including a single handedly operational squeezable handle that causes engagement of a locking mechanism of the chassis with a latch of the access door, wherein the access door is further secured to the chassis by means of a back up screw attachment, wherein a tab is secured to an outer edge of the access door, The information handling system of Claim 43, wherein the tab is mounted on a side of the chassis that has the release mechanism, the tab being secured to the chassis through a thumb screw.

- 45. (Canceled)
- 46. (Canceled)
- 47. (Currently Amended) A computer case, comprising:
- a computer chassis with an opening on one side;

an access panel door which covers the opening and attaches to the computer chassis; and

means for removing the access panel door from the computer chassis using a single hand of a user. The computer case of Claim 27, wherein the means for removing includes a handle with a stationary part and a movable part in which the access panel door is opened when the stationary part and the movable part of the handle are squeezed together, the movable part moving toward the stationary part when squeezed together.

48. (Canceled)

Appl. No. 10/040,340 Reply to Office Action of March 11, 2004

- 49. (Canceled)
- 50. (Canceled)
- 51. (Previously Presented) The computer case of Claim 7, wherein the engaging member is formed of a self lubricating material.
- 52. (Previously Presented) The computer case of Claim 7, wherein the handle is contoured.